




THIS INFORMATION IS CONFIDENTIAL AND IS DISCLOSED TO YOU ON CONDITION THAT NO FURTHER DISCLOSURE IS MADE BY YOU TO OTHER THAN TOP-LINK PERSONNEL WITHOUT WRITTEN AUTHORIZATION FROM TOP-LINK LTD.

DWN No.: C-10101011161




proposal



Recommended PCB Layout

Item	Part name	Q'ty/Ea'	Material	Finish
1	CAP	1	High temp.Plastic UL94 V-0 Color Black	_____
2	Body	1	Leaded Brass	Au 0.1um plating Ni 1.4um
3	Plunger	1	Leaded Brass	Au 0.4um plating Ni 1.4um
4	Spring	1	Stainless steel wire	_____
5				



Notes:

- Dimensions shall be interpreted per ASME Y14.5M.
- Mechanical performance
 - <2.1>The force is the average of forces obtained when plunger goes downwards and upwards.
 - <2.2>Warning: Working height are not permitted to be less than Min working height.
- Electrical performance
 - Resistance: 50mOhm Max.
 - Current rating: 1.0A
- Packaging specification conforms to EIA 481
- RoHS compliant.

DIST	---
DIST	---

6	update	2014/04/21
Rev.	Revision record.	Date.

Top-Link Electronics Ltd.		Type Customer drawing	Unit mm	Weight
TOLERANCES UNLESS OTHER SPECIFIED 0. = ± - 0.0 = ± 0.15 0.00 = ± 0.10 0.000 = ± - Angle: ±1° SURF TEXTURE: REMOVE BURRS. BREAK SHARP EDGES R0.05 MAX.DO NOT SCALE PRINT.		DWN: Gui zhiguo	APVD:	
		CHK:	REL:	
Name Pogo pin				
Scale 1:1	Size A4	DWG No. C-10101011161	Page 1/1	Rev. 6

10101011161
PART NUMBER

4

3

2

1